

TRANSTEC 4 85W-90

Transmission Oil

KEY DATA



INTERNATIONAL STANDARDS

🔥 API GL-4

APPLICATIONS

TRANSTEC 4 85W-90 is designed for gear boxes, mild loaded axles, transfer boxes and all gears requiring API GL-4 level.

PERFORMANCES & CUSTOMER BENEFITS

- 🔥 Efficient protection of gears against wear and corrosion due to stable extreme-pressure properties of the formula, but also anticorrosion and anti-rust properties.
- 🔥 Enhanced compatibility with oil filters due to boosted antifoam properties.
- 🔥 Efficient stability in operation due to high viscosity index.

CHARACTERISTICS*

TEST	UNIT	TEST METHOD	RESULT
Viscosity grade	-	-	85W-90
Density at 15°C	kg/m3	ISO 3675	892
Kinematic viscosity at 40°C	mm ² /s	ISO 3104	198.8
Kinematic viscosity at 100°C	mm ² /s	ISO 3104	17.8
Viscosity index	-	ISO 2909	97
Pour point	°C	ISO 3016	-21
Flash Point	°C	ISO 2592	248

*The characteristics given above are obtained with a standard tolerance threshold during production and may not be considered specifications.

RECOMMENDATIONS FOR USE

Before using the product, the vehicle's maintenance guide should be checked. Oil changes should be carried out in accordance with the manufacturer's recommendations.

The product should not be stored at temperatures over 60°C. It should be kept away from sunlight, intense cold and extreme temperature fluctuations. If possible, the packaging should not be exposed to the elements. Otherwise, the drums should be laid horizontally in order to avoid any contamination from water and to prevent the product's label from rubbing off.

HEALTH, SAFETY AND THE ENVIRONMENT

Based on the toxicological information available, this product should not cause any adverse health effects, provided it is used for its intended purpose and in accordance with the recommendations laid out in the Safety Data Sheet (SDS).

This can be obtained on request from your local reseller and is available for consultation at <https://ms-sds.totalenergies.com>.

This product should not be used for any purposes other than the ones for which it is intended.



TotalEnergies Lubricants / Last update of this datasheet: December 23 / TRANSTEC 4 85W-90

Some variations can be expected under normal production conditions, but these should not affect the product's expected performance irrespective of the site. The information contained in this document is subject to change without notice. Our products can be viewed on our website at www.lubricants.totalenergies.com.